

Notice of Allowability	Application No.	Applicant(s)	
	10/623,459	TANNER, BRIAN	
	Examiner	Art Unit	
	James L Habermehl	2651	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS**. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 18 Jul 03, 15 Aug 03, and 6 Dec 04.
2. The allowed claim(s) is/are 1-20.
3. The drawings filed on 18 Jul 03 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 18 Jul 03, 15 Aug 03, and 6 Dec 04
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

Art Unit: 2651

1. This Office action is in response to papers filed 18 July 2003, 15 August 2003, and 6 December 2004, which papers have been placed of record in the file.

2. Claims are allowed over the prior art of record. The following is an examiner's statement of reasons for allowance:

Claims 1 and 12 are allowable over the prior art of record since the cited references taken individually or in combination fails to particularly disclose a method for estimating voice coil resistance comprising, and a machine readable medium having instructions stored thereon that when executed by a processor cause a system to, estimating voice coil resistance based on a voltage and corresponding current determined during a seek operation, and on a voice coil velocity value based on servo information read during the seek operation, as presented in the environment of claims 1 and 12. It is noted that the closest prior art, Ryan et al., shows voice coil motor voltage calibration similar to the claimed invention. However, Ryan et al. fails to disclose estimating voice coil resistance based on a voltage and corresponding current determined during a seek operation, and on a voice coil velocity value based on servo information read during the seek operation as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2651

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The related co-pending applications 10/368,743 and 10/369314 cited by applicant have now published as 2004/0160695 and 2004/0160698. Codilian et al. Figures 5-12, Moon et al. Figures 3-4, and Male Figures 1B-2 are similar to applicant's invention.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James L Habermehl whose telephone number is (703)305-6975. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Hudspeth can be reached on (703)308-4825. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Habermehl/jlh
18 Feb 05


DAVID HUDSPETH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600